

Proposal Due: \_\_\_\_\_

Budgetary:  Yes  No

Requesting Company: \_\_\_\_\_

Contact: \_\_\_\_\_

Title: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Address: \_\_\_\_\_

If Requesting Company is not the end user:

End User Company\*: \_\_\_\_\_

End User Contact: \_\_\_\_\_

End User Address: \_\_\_\_\_

*\*End User Company will be displayed on the analyzer tag unless noted otherwise*

**Analyzer Requirements**

Analyzer Enclosure Type:  Painted - Black  
(Standard)

Power Requirements:  115vAC +/- 10%, 60 Hz +/- 5%  230vAC +/- 10%, 60 Hz +/- 5%

Area Classification:  General Purpose (cETLus)

Additional Certifications:  
(Specify)

Installation Area Temperature: Range \_\_\_\_\_  °C  °F  
Normal \_\_\_\_\_

Analyzer Cooling:  Fan Cooled  
(Select one)

Analyzer Tag Name(s): \_\_\_\_\_

**Sample Requirements**

Number of Sample Points:  16  31  46 Requested Sample Clearing Time: \_\_\_\_\_ Seconds

Sample Frequency: \_\_\_\_\_ sample points in \_\_\_\_\_ minute(s)

Sample Tubing Length: Longest \_\_\_\_\_  Meters  Feet  
Range \_\_\_\_\_  Meters  Feet

Sample Tubing Inner Diameter: \_\_\_\_\_ (Recommended 1/4" OD, 3/16" ID)

**External Communications**

External Communications?  Yes  No

Modbus

TCP/IP (Ethernet)

External Stream Selection  Yes  No

**Services**

**Factory Services**

	Include in Quote	No	Quote Separately
Operator Training Course	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Maintenance Agreement	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Installation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Spare Parts**

	Include in Quote	No	Quote Separately
Preventative Maintenance Kit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electronics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pumps	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Chemical Requirements**

Note: The MAX300-TGM analyzer is an ambient air monitor. The sample matrix is assumed to be ambient air.

	Chemical	Estimated LDL for TGM Analyzer	Units	Warning (Level 1) Set Point	Alarm (Level 2) Set Point	Nuber of Repeat Checks at Alarm Levels	Scaling (Modbus)	Chemical Definition/Notes (if "Other" chemical selected, name chemical and provide CAS Number)
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								

! - signifies potential compatability issues to be addressed by Process Insights

