

DATASHEET

QuickCODultra

ONLINE COD (TOD) ANALYZER

Online COD (TOD) for every kind of water
Especially for the rough stuff



Superior Reliability

Fast And Precise

Maximize Profits

Applications

- De-Icing Water
- Water Influent
- Water Effluent

Quick and precise – QuickCODultra a product you can rely on!

The COD (TOD) procedure from Process Insights is based on the thermal oxidation of the sample at 1,200°C with subsequent detection of the oxygen consumption. This method (ASTM D6238-98) has been widely employed in the field of online monitoring of different highly complex water samples. The advantage of the QuickCODultra analyzer is the complete oxidation of the water

sample at 1,200°C enabling to determine the COD (TOD) parameter without applying any catalysts or additional hazardous chemical substances. Optional sum parameters, such as TOC and TN_v , can be detected. The measurement results are free of chloride interference due to the unique process management.

Applications

Due to an unrivaled automated injection and oxidation technique, the QuickCODultra easily handles sticky, fatty, salty, and high-particle samples even with frequently changing sample matrices.

- Discharge control
- Industrial waste water
- De-icing water
- Water influent
- Water effluent
- Process water

Features

With our QuickCODultra analyzer the real, direct oxygen consumption is measured during the oxidation process of organic and inorganic compounds at 1,200°C. Applying such a high temperature the analyzer operates without any catalysts and additional chemicals.

- High temperature oxidation at 1,200°C
- Catalyst-free technique
- No additional chemicals
- Batch principle
- Up to 6 sample streams
- Robotic injection system
- High salt concentration (up to 600g/l)

Benefits

The measurement of the COD (TOD) takes place in less than 2 minutes. This speed guarantees that very short peaks can be determined very well during a daily cycle.

- Reliable sample analysis with high reproducibility
- Clean measurements without reagents
- Low operating costs
- Fast process control possible



Technical data

Measurement technique and sample preparation

Measurement method	Thermal oxidation at 1,200°C
Measurement compliance	According to ASTM D6238 (TOD analysis)
Measurement ranges (ppm)	150 - 30,000 or 20,000 - 250,000 COD (TOD) with optional dilution up to 1,000,000 possible
Parameter	COD (TOD) combination with TOC, TN _b possible
Oxidation principle	High temperature oxidation (Non-catalytic at 1,200°C)
Accuracy	Max. 2 % of FSR
Repeatability	Max. 2 % of FSR
Cycle time	COD (TOD): 1 - 2 min.
Response time	1 - 2 minutes
Sample preparation	<ul style="list-style-type: none">FlowSampler - maintenance-free particle separatorOptional homogenizer for the continuous homogenization of samples
Particle size	Particles < 800µm

Temperature and humidity

Permissible sample temperature	5 - 60°C COD (TOD)
Ambient temperature recommended	10 to 30°C
Ambient air humidity	Max 80 % (non condensing)

Dimensions and weight

Housing / Explosion protection	Steel, coated with powder paint, IP54; Optional: ATEX / UKEX Zone 2 / T4 IP54 stainless steel housing 5 - 35°C, II 3G Ex dc ec pzc [ib] IIC T4 Gc ATEX / UKEX Zone 1 / IECEx T4 IP54 stainless steel housing 5 - 35°C, Ex db eb pxb [ib] IIC T4 Gb
Design / Dimensions Standard housing	W 848 x H 1,100 x D 635 mm
ATEX-housing	Analyzer: W 1080 x H 1293 x D 700 mm Signal box: W 360 x H 395 x D 170 mm
Weight	From 115 kg (standard)

Electric and hydraulic specifications

Inflow and outflow	Tube 4.8 mm ID, Tube 8 mm ID, Tube 12 mm ID
Power supply	230 / 115 V~, 50 / 60 Hz
Analogue output	0/4 - 20 mA
Serial interface	RS 232
Protection	16 A external
Option	Remote control via TCP / IP Protocol

PREMIUM INSIGHTS – GAIN REAL-TIME INSIGHT INTO YOUR PROCESS

Process Insights is a full-service provider for gas and water analysis, delivering innovative and affordable sensors, monitors, analyzers, instrumentation and software that provide precise performance you can trust.

Solutions from Process Insights have prevailed for decades in harsh, hazardous and unforgiving operating environments in the most demanding, mission-critical, and highspeed applications. With

an emphasis on innovation and differentiated solutions, we provide technologies that add high value for our customers, promote operational excellence, and help them create the products and services that make our lives better. All of the solutions in our portfolio are rooted in the core values that define who we are. For a complete range of analytical instrumentation, applications, systems, and service options, please contact us.

CENTERS OF EXCELLENCE

PROVIDING PROVEN SOLUTIONS FROM A GLOBAL TECHNOLOGY LEADER

Process Insights GmbH

Neukoellnische Allee 134
12057 Berlin
Germany
+49 30 2789580
www.process-insights.com
info@emea.process-insights.com

Process Insights - EMEA

Process Insights GmbH
Lyoner Strasse 15
60528 Frankfurt
Germany
+49 69 20436910
info@emea.process-insights.com

Process Insights - The Americas

4140 World Houston Parkway
Suite 180
Houston, TX 77032
USA
+1 713 947 9591
info@process-insights.com

Process Insights - APAC

Wujiang Economic and Technology
Development Zone
No. 258 Yi He Road, 215200 Suzhou
Jiangsu Province China
+86 400 0860196
info@emea.process-insights.com