

PRODUCT DATASHEET

HALO KA Max™

THE ULTIMATE TRACE GAS ANALYZER



HALO KA Max offers:

- Available for detecting trace moisture (H₂O), ammonia (NH₃), or methane (CH₄)
- Parts per trillion (ppt) detection capability in an array of gases
- Absolute measurement (freedom from calibration)
- Field proven lowest Cost of Ownership and ease of use
- Wide dynamic range – over four orders of magnitude
- Unprecedented speed of response at sub-ppb levels
- Compact footprint (two HALO KA Max fit in a 19" rack)

Specifications

Performance

Operating range:	See gas performance table on next page
Detection limit (LDL)*:	See gas performance table on next page
Precision (1σ, greater of):	$\pm 0.75\%$ or see tables on next page
Accuracy (greater of):	$\pm 4\%$ or LDL
Speed of response:	< 2 min to 95% (for H ₂ O/NH ₃), < 1 min to 95% (for CH ₄)
Environmental conditions:	10°C to 40°C, 30% to 80% RH (non-condensing)
Storage temperature:	-10°C to 50°C

Gas Handling System and Conditions

Gas connections:	1/4" male VCR inlet and outlet
Leak tested to:	1 x 10 ⁻⁹ mbar l / sec
Inlet pressure:	10 – 125 psig (1.7 – 9.6 bara)
Flow rate:	~2 slpm in N ₂ (gas dependent)
Sample gases:	See tables below
Gas temperature:	Up to 60°C

Dimensions & Weight

Standard sensor:	H x W x D 8.73 x 8.57 x 23.6 in (222 x 218 x 599 mm)
Sensor rack (fits up to two sensors):	H x W x D 8.73 x 19.0 x 23.6 in (222 x 483 x 599 mm)
Standard sensor weight:	28 lbs (12.7 kg)
NH₃ sensor weight:	34 lbs (15.4 kg)

Electrical and Interfaces

Platform:	Max Series analyzer
Alarm indicators:	2 user programmable, 1 system fault, Form C relays
Power requirements:	90 – 240 VAC, 50/60 Hz
Power consumption:	40 Watts max.
Signal output:	Isolated 4–20 mA
User interfaces:	5.7" LCD touchscreen, 10/100 Base-T Ethernet, USB, RS-232, RS-485, Modbus TCP (optional)
Data storage:	Internal or external flash drive
Certification:	CE Mark

HALO KA Max H₂O Standard Model Performance, H₂O

	Range	LDL ^{*,†}	Precision (1σ) @ zero
In Nitrogen:	0 – 5 ppm	100 ppt	40 ppt
In Helium:	0 – 1 ppm	100 ppt	10 ppt
In Argon:	0 – 2 ppm	100 ppt	20 ppt
In Hydrogen:	0 – 4 ppm	100 ppt	30 ppt
In Oxygen:	0 – 2.5 ppm	100 ppt	20 ppt
In Clean Dry Air (CDA):	0 – 4 ppm	100 ppt	30 ppt

HALO KA Max H₂O CO₂ Model Performance, H₂O

	Range	LDL ^{*,†}	Precision (1σ) @ zero
In Carbon Dioxide:	0 – 10 ppm	300 ppt	100 ppt
In Nitrogen:	0 – 5 ppm	100 ppt	40 ppt

HALO KA Max NH₃ Performance, NH₃

	Range	LDL [†] (3σ/24h)	Precision (1σ) @ zero
In Nitrogen:	0 – 7 ppm	150 ppt	50 ppt

HALO KA Max CH₄ Performance, CH₄

	Range	LDL [†] (3σ/24h)	Precision (1σ) @ zero
In Nitrogen:	0 – 8 ppm	500 ppt	200 ppt
In Helium:	0 – 5 ppm	400 ppt	140 ppt
In Argon:	0 – 7 ppm	450 ppt	150 ppt
In Hydrogen:	0 – 8 ppm	500 ppt	200 ppt
In Oxygen:	0 – 7 ppm	500 ppt	200 ppt
In Clean Dry Air (CDA):	0 – 4 ppm	500 ppt	200 ppt

*The Detection limit (LDL) is defined as 3σ over 24 hours or the H₂O drydown limit, whichever is higher.

†Lowest achievable impurity level is dependent upon the quality of the sample gas and the integrity of the sampling system.

Contact us for additional analytes and matrices.
U.S. Patent # 7,277,177

GAIN REAL-TIME INSIGHT INTO YOUR PROCESS

Process Insights delivers premium analytical sensors, analyzers, instrumentation, software and solutions that are mission-critical to keep your operations, personnel, and the environment safe. Our commitment to customer satisfaction is evident through our diverse range of products, programs, and services, designed to accommodate various budgets and application needs.

CENTERS OF EXCELLENCE | PROVIDING PROVEN SOLUTIONS

Process Insights – The Americas

14400 Hollister Street, Suite 800B, Houston, TX 77066, USA +1 713 947 9591

Process Insights – EMEA

ATRICOM, Lyoner Strasse 15, 60528 Frankfurt, Germany +49 69 20436910

Process Insights – APAC

Wujiang Economic and Technology, Development Zone, No. 258 Yi He Road, 215200 Suzhou, Jiangsu Province, China +86 400 086 0106

For a complete range of products, applications, systems, and service options, please contact us at: info@process-insights.com

For a complete list of sales & manufacturing sites, please visit: <https://www.process-insights.com/about-us/locations/>

