

## Calorimeter Application Questionnaire (rev 2.26)


**CUSTOMER INFORMATION**

**Company Information** Company: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City, State: \_\_\_\_\_  
 Zip, Country: \_\_\_\_\_

**Contact Information** Name: \_\_\_\_\_  
 Title: \_\_\_\_\_ Email: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

**SAMPLE CONDITIONS**

**Sample Conditions** Distance between Analyzer and Sample Point: \_\_\_\_\_ Feet /meters  
 Sample Pressure: Min \_\_\_\_\_ Max \_\_\_\_\_ Units \_\_\_\_\_  
 Sample Temperature: \_\_\_\_\_  Celsius  Fahrenheit  
 Water Dewpoint Temperature @ Pressure: \_\_\_\_\_  Celsius  Fahrenheit at \_\_\_\_\_  
 Hydrocarbon Dewpoint @ Pressure: \_\_\_\_\_  Celsius  Fahrenheit at \_\_\_\_\_  
 H<sub>2</sub>S or other corrosive gases in sample?  No  Yes  
 Filtration Required?  No  Dual Filter  
 Sample Probe:  Cosa to provide  Customer to Provide  
 Can you vent un-combusted sample to atmosphere?  Yes  No  
 Return header pressure: Min \_\_\_\_\_ Max \_\_\_\_\_ Units \_\_\_\_\_

**ANALYZER LOCATION**

**Installation Conditions** Area Classification:  General Purpose  Hazardous  
 List Hazardous Area Cert: \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Installation Location:  Indoor  Outdoor  
 If outdoors, is the analyzer shielded from direct sun and rain?  Yes  No  
 Ambient Temperature: Low \_\_\_\_\_ High \_\_\_\_\_  Celsius  Fahrenheit  
 Available Power Supply:  110 V 50/60 Hz  220 V 50 Hz  
 Is the location FREE from:  
 Heavy Winds?  Yes  No  
 Vibrations?  Yes  No  
 Heat Sources?  Yes  No  
 Any other installation issues? \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

