

PRODUCT DATASHEET

T-I Max AIR™

HIGH-PRECISION GREENHOUSE GAS MONITOR

Redefining environmental monitoring
with innovative greenhouse gas solutions



The T-I Max AIR features:

- Powerful Cavity Ring-Down Spectroscopy (CRDS) Technology
- Real-time monitoring and high precision detection of CO₂, CH₄, and H₂O to parts per billion (ppb)
- Specificity – immune to common interferences
- Automatic reporting of dry mole fraction
- Low cost of ownership and easy operation

The T-I Max AIR™ greenhouse gas (GHG) Cavity Ring-Down Spectroscopy (CRDS) analyzer for methane, carbon dioxide and water is specifically designed to comply with World Meteorological Organization (WMO) measurement requirements. The T-I Max AIR complies with stringent traceability and precision standards crucial for greenhouse gas inventory assessment. All these benefits makes it an ideal solution for monitoring atmospheric greenhouse gases.

It measures ambient levels of CH₄, CO₂ and H₂O with excellent reliability, and it can monitor emissions of greenhouse gases from various sources in fixed or mobile applications. The T-I Max AIR is specifically designed for GHG monitoring networks, with a high precision measurement and automatic reporting of dry mole fraction.

The T-I Max AIR integrates into a compact footprint that is both robust and cost-effective. Its resilience to common interferences solidifies its reputation as a consistently reliable choice for atmospheric measurements.

The T-I Max AIR eliminates the need for regular sensor replacement or maintenance. You'll find your system fast to install, exceptionally easy to use, extremely reliable, and effortless to maintain due to its built-in wavelength calibration. The robust design is free of moving parts and has a very low cost of ownership.

Today, our CRDS gas analyzers monitor thousands of critical points for industrial and scientific applications. They serve the world's national metrology institutes, where they function as transfer standards for the qualification of calibration and zero gases.



Specifications

Performance

Operating range:	See table below
Precision (1σ):	See table below
Accuracy*:	See table below
Environmental conditions:	10°C to 40°C, 30% to 80% RH (non-condensing)
Storage temperature:	-10°C to 50°C

Gas Handling System and Conditions

Wetted materials:	316L stainless steel and PFA
Gas connections:	1/4" PFA compression fittings inlet & outlet
Inlet pressure:	Atmospheric pressure
Outlet pressure:	Vacuum (<10 Torr)
Flow rate:	~ 0.5 slpm
Sample gases:	Ambient air
Gas temperature:	Up to 40°C

Dimensions and Weight

Standard sensor:	H x W x D: 8.75 x 19.0 x 26.0 in (222 x 483 x 635 mm) (19" rack-mountable)
Standard sensor weight:	55 lbs (25 kg)

Electrical and Interfaces

Power requirements:	90 – 240 VAC, 50/60 Hz
Power consumption:	300 Watts max.
User interfaces:	10.1" LCD touchscreen, 10/100 Base-T Ethernet, RS-232, RS-485, Modbus (Optional)
Data storage:	Internal or external flash drive
Certification:	CE Mark (pending)

Performance:

	Range	Accuracy*	Precision [†] (1 σ) – 5 min.	Precision [†] (1 σ) – 24 hrs.
CH ₄	0 – 20 ppm	± 5%	1 ppb	2 ppb
CO ₂	0 – 1000 ppm	± 5%	50 ppb	100 ppb
H ₂ O	0 – 7%	± 5%	30 ppm	100 ppm

* with factory calibration; for GHG monitoring networks the accuracy is dictated by the standard cylinders used for calibration.

[†] at typical ambient levels.

GAIN REAL-TIME INSIGHT INTO YOUR PROCESS

Process Insights delivers premium analytical sensors, analyzers, instrumentation, software and solutions that are mission-critical to keep your operations, personnel, and the environment safe. Our commitment to customer satisfaction is evident through our diverse range of products, programs, and services, designed to accommodate various budgets and application needs.

CENTERS OF EXCELLENCE

Process Insights – The Americas

14400 Hollister Street, Suite 800-B, Houston, TX 77066, USA

☎ +1 713 947 9591

info.americas@process-insights.com

Process Insights – EMEAI

ATRICOM, Lyonerstrasse 15, 60528 Frankfurt, Germany

☎ +49 69 20436910

info.emeai@process-insights.com

Process Insights – CHINA

Wujiang Economic and Technology, Development Zone No. 258 Yi He Road
215200 Suzhou, Jiangsu Province, China

☎ +86 400 086 01

info.cn@process-insights.com

Process Insights – APAC

Premier@Kaki Bukit, 10 Kaki Bukit Ave 4, Blk 10 #05-65, Singapore 415874

☎ +65 6489 6612

info.apac@process-insights.com

